AMBUJET P 1000 B 20G

Portable suction device with 20G wall fixing with auto recharge





Space-saving suction device to be used to remove fluids from the airway or respiratory support system. The device creates a negative pressure that draws fluids through disposable tubing that is connected to the collection container. The base performs the dual function of charging station and fixing in accordance to EN 1789 standard.

Specific Characteristics

- low weight and size
- Easy view of the setted vacuum thanks to the led indicators
- Classification ISO High Vacuum/ High Flow
- Suction device protected from bumps and falls thanks to the protective shell
- Mechanism of engagement and release from the base extremely rapid
- Recharging of the battery is done simply by placing the device on the mounting system

Standard Equipment

- Fixing with integrated charging system Battery
- Serres canister with disposable bag
- Disposable patient tube 1,8 m Shoulder strap for easy transport


Optional accessories/ConsumablesSC75012ELateral bags for JetSC73017E220V Power supplySC73013EAntibacterial filterSC73016ESterile suction catheter 1,8mSC75018E36 disposable bags for canister

Compliant with

ISO 10079-1 EN 1789

Technical data	
Jet Dimensions	200x225x285 mm
Jet Dimensions w/fixing	200x250x320 mm
Suction device weight	2,5 ± 0,1 kg
Fixing weight	0,8 ± 0,1kg
Vacuum Range	From 50 to 550 mmHg
Flow (free flow)	32 l/min
Noise level	70 db
Electrical connection requirements	100-240 VAC 47-63 Hz 0,75A max; 12VDC 33W max
IP Grade	IP12
Battery	12V DC Ni-MH
Battery operating time	30 min. ON, 30 min. OFF
Battery recharging time	5 h
Container capacity	1000 ml
Patient tube lenght	1,8 m
Operating temp.	From 0°C to +45°C
Storage temp.	From – 40°C to +70°C
Humidity	From 0 to 95%





www.spencer.it