

DAKOTA

Steel basket stretcher



Spencer Dakota basket stretchers are intended for the recovery and transport of patients. They can be used for rescue operations in those cases where it is necessary to protect patients from side impacts, where it is not possible to intervene with normal transport equipment. The devices can be hoisted with lifting systems applied to fixed anchors, in all cases keeping the stretcher in a horizontal position with respect to the ground, and only if equipped with a Spencer harnessing system. It is not foreseen that the patient be able to intervene on the devices.

Specific features

The galvanized steel structure makes it particularly sturdy and resistant to corrosion

The structure of the frame, confers a wide range of choice of gripping points

The wooden patient floor increases thermal insulation and comfort for the patient

The adjustable footrest and belts allow to minimize patient's movements during recovery

Accessories

ST04519C	STX 519 – Adjustable lifting bridles
ST04522B	STX 540 – Fixed lifting bridles

Standard equipment

STX 592 – Restraint belts 2 pcs with metal buckle
(3 belts are supplied)

Footrest

Technical data

Length	2050 mm
Width	566 mm
Height	190 mm
Materials	Steel, wood, PE, Nylon
Weight <small>(without accessories)</small>	16,5 kg
Load capacity	290 kg

Class I MD compliant with UE Reg. 2017/745

DAKOTA BASKET STRETCHER

ST04005A

CND Classification



V0899

Registration number

172171

Rev.0 (27/11/2020)

UNCHECKED COPY – further revisions will be available on <http://support.spencer.it>
Spencer Italia S.r.l. Sala Baganza (PR) Italia Tel. +39.0521.541111 Fax +39.0521.541222

www.spencer.it